Package: italy (via r-universe)

October 30, 2024

Version 0.1.0			
Description Provides two record linkage data sets on the Italian Survey on Household and Wealth, 2008 and 2010, a sample survey conducted by the Bank of Italy every two years. The 2010 survey covered 13,702 individuals, while the 2008 survey covered 13,734 individuals. The following categorical variables are included in this data set: year of birth, working status, employment status, branch of activity, town size, geographical area of birth, sex, whether or not Italian national, and highest educational level obtained. Unique identifiers are available to assess the accuracy of one's method. Please see Steorts (2015) <doi:10.1214 15-ba965si=""> to find more details about the data set.</doi:10.1214>			
Depends R (>= 3.3.1)			
License CC0			
Encoding UTF-8			
LazyData true			
RoxygenNote 5.0.1.9000			
Repository https://cleanzr.r-universe.dev			

Title The Italian Survey on Household and Wealth, 2008 and 2010

Contents

Index

RemoteRef HEAD

RemoteUrl https://github.com/cleanzr/italy

RemoteSha b2d5b9aa092ef75d61a443ce5ed79b55866b6b83

italy08	
italy10	

2 italy10

italy08

Italian Survey on Household and Wealth, 2008

Description

The 2008 survey on covered 13,734 Italian Survey on Household and Wealth covering individuals.

Usage

italy08

Format

A data frame with 11 variables: parent, sex, anasc, nascreg, 'cit, acom4c, studio, codeq, codequal, codesett, codeireg. There is an additional variable id that is the unique identifier for the data set. Common models

This data set has one year's worth of data. This data set joined with another year's worth of is appropriate for performing various types of record linkage and can be assessed by standard record linkage methods.

References

Steorts (2015), Bayesian Analysis

Examples

head(italy08)
dim(italy08)

italy10

Italian Survey on Household and Wealth, 2010

Description

The 2008 survey on covered 13,702 Italian Survey on Household and Wealth covering individuals.

Usage

italy10

Format

A data frame with 11 variables: parent, sex, anasc, nascreg, 'cit, acom4c, studio, codeq, codequal, codesett, codeireg. There is an additional variable id that is the unique identifier for the data set. Common models

This data set has one year's worth of data. This data set joined with another year's worth of is appropriate for performing various types of record linkage and can be assessed by standard record linkage methods.

italy10

References

Steorts (2015), Bayesian Analysis

Examples

head(italy10)
dim(italy10)

Index

```
* datasets,
    italy08, 2
    italy10,2
* entity
    italy08, 2
    italy10,2
* linkage,
    italy08,2
    italy10, 2
* record
    italy08,2
    italy10,2
* resolution
    italy08, 2
    italy10, 2
italy08, 2
italy10,2
```